

## Chain Mortiser CVS10 (Centauro - Italian Make)

### Specifications:

Model	CVS 10
Max. slot depth	150 mm
Max. slot length	310 mm
Longitudinal stroke	270 mm
Transversal stroke	90 mm
Head rotation	±45°
Max. height of window piece on table	160 mm
Max./Min. door/frame height	1000/600* mm
Working table sizes	420x60 mm
Chain motor power	3 HP (KW2.2)
Tilt of working table	±45°
Dust extrac. outlet	1xφ60 mm
Overall dimensions	1890x1100x738 mm
Net weight	250 kg
Sound power level	104.1 dB (A)

All specifications, dimensions & design characteristic are subject to change without prior notice.

## Chain Mortiser CVS 50 (Centauro - Italian Make)

### Specifications:

Model	CVS 50
<b>WORKING HEAD</b>	
Max. slot depth	150 mm
Max. slot length	340 mm
Longitudinal stroke	300 mm
Transversal stroke	80 mm
Head rotation	±45°
Max. height of window piece on table	280 mm
Max./Min. door/frame height	1000 / 600* mm
Working table sizes	460 x 135 mm
Tilt of working table	±45°
Chain motor power	3 HP (KW 2.2)
Dust extrac. outlet	1 x φ60 mm
<b>VERTICAL SPINDLES UNIT</b>	
Vertical Stroke	60mm
Spindles Distance	80mm
Spindles Speed	7500 rpm
Motor power of spindle unit	HP 0.75 (0.55Kw)
<b>HORIZONTAL SPINDLES UNIT</b>	
Transversal Stroke	140 mm
Spindels Distance	Min 56 / Max. 130 mm
Spindles Speed	8000 RPM
Spindle – Motorleistung	HP3 (KW 2.2)
Motor Power of Spindle Unit	HP 0.33 (0.25 Kw)
Overall dimensions	1922x1400x1026 mm
Net weight	510 kg
Sound power level	104.1 dB (A)
Sound pressure level at operator position	96.9 dB (A)

All specifications, dimensions & design characteristic are subject to change without prior notice.

## Chain Mortiser CVS 50/P (Centauro - Italian Make)

### Specifications:

Model	CVS 50/P
<b>WORKING HEAD</b>	
Max. slot depth	150 mm
Max. slot length	340 mm
Longitudinal stroke	300 mm
Transversal stroke	80 mm
Head rotation	±45°
Max. height of window piece on table	280 mm
Max./Min. door/frame height	1000 / 600* mm
Working table sizes	460 x 135 mm
Tilt of working table	±45°
Chain motor power	3 HP (KW 2.2)
Dust extrac. outlet	1 x φ60 mm
<b>VERTICAL SPINDLES UNIT</b>	
Vertical Stroke	60mm
Spindles Distance	80mm
Spindles Speed	7500 rpm
Motor power of spindle unit	HP 0.75 (0.55Kw)
<b>HORIZONTAL SPINDLES UNIT</b>	
Transversal Stroke	140 mm
Spindels Distance	Min 56 / Max. 130 mm
Spindles Speed	8000 RPM
Spindle – Motorleistung	HP3 (KW 2.2)
Motor Power of Spindle Unit	HP 0.33 (0.25 Kw)
Overall dimensions	1922x1400x1026 mm
Net weight	510 kg
Sound power level	104.1 dB (A)
Sound pressure level at operator position	96.9 dB (A)

All specifications, dimensions & design characteristic are subject to change without prior notice.

## Chain Mortiser CVS 60 (Centauro - Italian Make)

### Specifications:

Model	CVS 60
<b>WORKING HEAD</b>	
Max. slot depth	150 mm
Max. slot length	340 mm
Longitudinal stroke	300 mm
Transversal stroke	80 mm
Head rotation	±45°
Max. height of window piece on table	280 mm
Max./Min. door/frame height	1000 / 600* mm
Working table sizes	460 x 135 mm
Tilt of working table	±45°
Chain motor power	3 HP (KW 2.2)
Dust extrac. outlet	1 x ø60 mm
<b>VERTICAL SPINDLES UNIT</b>	
Vertical Stroke	60mm
Spindles Distance	80mm
Spindles Speed	7500 rpm
Motor power of spindle unit	HP 0.75 (0.55Kw)
<b>HORIZONTAL SPINDLES UNIT</b>	
Transversal Stroke	140 mm
Spindels Distance	Min 56 / Max. 130 mm
Spindles Speed	8000 RPM
Spindle – Motorleistung	HP 3 (KW 2.2)
Motor Power of Spindle Unit	HP 0.33 (0.25 Kw)
Overall dimensions	1922x1400x1026 mm
Net weight	520 kg
Sound power level	104.1 dB (A)
Sound pressure level at operator position	96.9 dB (A)

All specifications, dimensions & design characteristic are subject to change without prior notice.