

SINGLE SIDED EDGE BANDER B5 (Paoloni-Italian Make)

- Gluing Unit 2KG (Edge Feeding & Edging)
- Single Motor End Trimming Unit (Edge Cutting)
- Overlapping Trimming Unit R3 0.55 KW
- Edge Scraping Unit
- *Polishing Unit (Buffing)*

Feed Rate	5.5 m/1'
Panel thickness	10-45 mm
Min. panel length	110 mm
Min. panel width (with min. length 220)	60 mm
Min. space between two panels	650 mm
Max. thickness of edges in rolls	3 mm
Max. thickness of edges in strips	5 mm
Max edge height	50mm
Work Table height	850 mm
Working air pressure	6 bar
Total dimensions (length × depth × height)	1910×770×1230 mm
Total dimensions (length × depth × height) with reel holder	2570×1050×1230 mm
Weight	400 kg
Total installed power	4800 w
Diameter of centralized dust extraction outlet	100 mm
Diameter of glue fumes extraction outlet	60 mm

All specifications, dimensions & design characteristic are subject to change without prior notice.

SINGLE-SIDED EDGE BANDER MODEL B10 (Paoloni – Italian Make)

- Gluing Unit 2 Kg
- Single Motor Trimming Unit
- R3 0.5kw Tilting Trimming Unit
- Single-Sided Edge Bander Model B10/P-12 with Glue Scraping Unit.
- Single-Sided Edge Bander Model B10/P-21 with Glue Scraping Unit and R3 Edge Scraping Unit.
- Single-Sided Edge Bander Model B10/P-22 with R3 Edge Scraping Unit and Brushing Unit.
- Single-Sided Edge Bander Model B10/P-31 with R3 Edge Scraping Unit + Glue Scraping Unit and Hot Blower Unit.

Specifications:

Model	B 10	B10/P-12	B10/P-21	B10/P-22	B10/P-31
Feed rate	9 m/1'	9 m/1'	9 m/1'	9 m/1'	9 m/1'
Panel thickness	10-50 mm	10-50mm	10-50mm	10-50mm	10-50mm
Min panel length	110 mm	110 mm	110 mm	110 mm	110 mm
Min panel width (with min. length 220)	60 mm	60 mm	60 mm	60 mm	60 mm
Min space between two panels	650 mm	650 mm	650 mm	650 mm	650 mm
Max thickness of edges in rolls	3 mm	3 mm	3 mm	3 mm	3 mm
Max thickness of edges in strips	8 (10)mm	8 (10) mm	8 (10) mm	8 (10) mm	8 (10) mm
Strip magazine capacity	150mm	150 mm	150 mm	150 mm	150 mm
Max edge height	55mm	-	-	-	-
Work table height	850mm	850 mm	850 mm	850 mm	850 mm
Working air pressure	6 bar	6 bar	6 bar	6 bar	6 bar
Total dimensions length x depth x height	2810x760x1400 mm	2810x760x1400 mm	2810x760x1400 mm	2810x760x1400 mm	2810x760x1400 mm
Total dimensions length x depth x height with reel holder	3150x1000x1400 mm	3150x1000x1400 mm	3150x1000x1400 mm	3150x1000x1400 mm	3150x1000x1400 mm
Weight	850 kg	850 kg	850 kg	850 kg	850 kg

Total installed power	5000 W	5000 W	5000 W	5000 W	7000 W
Diameter of centralized dust extraction outlet	120mm	120 mm	120 mm	120 mm	120 mm
Diameter of glue fumes extraction outlet	60 mm	60 mm	60 mm	60 mm	60 mm

All specifications, dimensions & design characteristic are subject to change without prior notice.

AUTOMATIC SINGLE SIDED EDGE BANDER MACHINE MODEL B20 (Paoloni - Italian Make)

- Gluing Unit 2 Kg
- Single Motor Trimming Unit
- R3 0.55 KW Tilting Trimming Unit
- R3 Single Motor Corner Rounder Unit
- *Automatic Single-Sided Edge Bander Model B20/P22 with R3 Edge Scraping Unit + Glue Scraping Unit.*
- *Automatic Single-Sided Edge Bander Model B20/P23 with R3 Edge Scraping Unit + Hot Air Blower Unit.*
- *Automatic Single-Sided Edge Bander Model B20/P31 with R3 Edge Scraping Unit + Glue Scraping Unit and Hot Blower Unit.*

Specifications:

Feed Rate	9 m/1'
Panel thickness	10-60 mm
Min. panel length	110 mm
Min. panel width (with min. length 220)	60 m
Min. space between two panels	650 mm
Max. thickness of edges in rolls	3 mm
Max. thickness of edges in strips	8 (10) mm
Strip magazine capacity	150 mm
Max edge height	65 mm
Work Table height	850 mm
Working air pressure	6 bar
Total dimensions (length × depth × height)	3840×760×1400 mm
Total dimensions (length × depth × height) with reel holder	4170×1000×1400 mm
Weight	1060 kg
Total installed power	6000 w
Diameter of centralized dust extraction outlet	140 mm
Diameter of glue fumes extraction outlet	60 mm

All specifications, dimensions & design characteristic are subject to change without prior notice.