

PRODUCT / CARS COMMERCIAL VEHICLES & DIESEL ENGINES

Description	Std Bore	Outer Dia	Collar O.D.	Collar Width	Total Length
Standard Herblld 10 H.P.	63 mm	2.635	2.665	5 mm	5.3/8"
Gipsy 4 Cyl	65.5 mm	2.685	2.715	5 mm	4.3/4"
Flat 4 Cyl	68 mm	2.833	2.863	5 mm	5.10/16"
Maruti 3 Cyl	68.5 mm	2.820	2.850	5 mm	4.7/16"
Maruti 1000	65.5 mm	2.720	2.750	5 mm	4.7/16"
Maruti Zen 4 Cyl	72 mm	2.975	3.005	5 mm	4.13/16"
Esteem	74 mm	3.025	3.055	5 mm	4.13/16"
Mitsubishi 3 Cyl	70 mm	2.875	2.905	5 mm	5 1/2"
Mazda	78 mm	3.200	3.230	5 mm	6"
Nissan CD - 17	80 mm	3.250	3.280	5 mm	5.5/8"
Garuda	82 mm	3.378	3.408	5 mm	5.1/2"
Indica	75mm	3.070	3.100	5 mm	5.3/8"
Toyota Car	83 mm	3.300	3.420	5 mm	5.3/4"
Mazda Car	83 mm	3.400	3.430	5 mm	6"
Isuzu 4 FCI	84 mm	3.406	3.436	5 mm	6.1/4"
Chakdo Rikshaw	85 mm	3.500	3.530	5 mm	6.7/16"
Minidoor	85 mm	3.468	3.541	0.160	161 mm
Ambassador OHV 4 Cyl.	2.875	3.031	3.061	5 mm	6"
BMC Trakker 4 Cyl.	2.875	3.031	3.061	5 mm	6.7/16"
Padmini 118 NE	73 mm	3.015	3.045	5 mm	4.13/16"
Daihatsu 3 Cyl.	76 mm	3.120	3.150	5 mm	5.1/8"
Metadoor 305 4 Cyl.	78 mm	3.227	3.257	5 mm	6.3/4"
Fiat Diesel 4 Cyl.	78 mm	3.200	3.230	5 mm	5.1/4"
Survey	3.000	3.156	3.186	5 mm	8"
BMC 1800 4 Cyl.	80 mm	3.280	3.110	5 mm	6.1/8"
Jeep Petrol 4 Cyl.	3.125	3.281	3.311	5 mm	8.1/8"
Desoto/Weapon Carrier	3.250	3.406	3.436	5 mm	8.1/8"
Nissan 6 Cyl.	3.375	3.560	3.590	5 mm	8"
Tata Mobile 4 Cyl.	83 mm	3.390	3.420	5 mm	6.1/16"
Contessa Classic	84 mm	3.430	3.460	5 mm	5.5/8"
Isuzu 4 Cyl.	84 mm	3.425	3.455	5 mm	5.23/32"
Diesel Tempo	85 mm	3.500	3.530	5 mm	6.1/2"

Fargo Dodge	87 mm	3.595	3.625	5 mm	8.1/8"
Cooper Crv - 5	3.200	3.350	3.380	5 mm	6.7/8"
Standard Micro 4 Cyl.	3.500	3.650	3.680	5 mm	7.5/8"
Metadoor 307 4 Cyl.	91 mm	3.705	3.775	0.185	6.1/4"
P3 DI 3 Cyl.	3.500	3.690	3.805	5 mm	8.1/2"
Toyota Car	84 mm	3.470	3.500	5 mm	6.1/4"
Tata Benz - 1210 6 Cyl.	90 mm	3.750	3.780	5 mm	8.7/16"
Tata DI 6 Cyl.	92 mm	3.812	3.842	5 mm	8.7/16"
Tata S.E 6 Cyl.	92 mm	3.743	3.878	0.160	8.7/16"
Tata 1312 6 Cyl.	95 mm	3.860	3.995	5 mm	8.1/2"
Mercedez Car 4 Cyl.	87 mm	3.546	3.668	5 mm	6.1/4"
Tata 1312 (92 x 1312) 6 Cyl.	92 mm	3.860	3.995	0.190	8.1/2"
Tata 807 4 Cyl.	95 mm	3.860	3.995	0.190	8.1/2"
Tata 407 4 Cyl.	97 mm	3.940	4.070	0.175	7"
Tata 1516	97 mm	3.940	4.070	0.175	8.5/8"
1516 Block sleeves	100 mm	4.066	4.096	5 mm	8.5/8"
Perkins 354 (Rocket) 6 Cyl.	3.875	4.066	Plain	5 mm	9"
Shaktiman	100 mm	4.175	Plain	5 mm	9.1/4"
Ford Rocket (MF - 165) 6 Cyl.	3.875	4.066	4.195	0.145	9"
Perkins P6 6 Cyl.	3.501	3.690	3.720	5 mm	8.1/2"
Perkins P3 3 Cyl. P4 4 Cyl.	3.501	3.690	3.720	5 mm	8.1/2"
Eicher Canter Mitsubishi 4 Cyl.	100 mm	4.095	Plain	5 mm	7.1/2"
Alwyn Nissan	3.500	3.625	3.860	0.205	6.13/16"
Swaraj Mazda 4 Cyl.	100 mm	4.074	4.250	0.130/100	7.5/8"
DCM Toyota 4 Cyl. 13-B	102 mm	4.175	4.400	0.150/0.100	7.1/2"
DCM Toyota 4 Cyl. 14-B	102 mm	4.176	4.206	5 mm	7.1/2"
Cumins	102 mm	4.156	4.186	5 mm	8.3/4"
Dutz 4 Cyl.	100 mm	4.060	4.090	5 mm	8.3/4"
Bedford J-4 6 Cyl.	3.875	4.124	4.406	0.190	8.1/2"
Bedford J-6 6 Cyl.	4.062	4.165	4.250	0.062	8.1/2"
Leyland comet 6 Cyl.	4.960	4.162	4.540	0.505	9.7/16"

Leyland 370 6 Cyl.	4.071	4.382	4.435	0.210/0.040	9.7/16"
Leyland 370 Blocksleeves	4.382	4.550	4.580	3/16	9.7/16"
Leyland 400 6 Cyl.	4.224	4.382	4.435	0.210/0.040	9.7/16"
Leyland 402 6 Cyl.	4.224	4.382	Plain	-	9.7/16"
Leyland 600 6 Cyl.	4.800	5.042	5.340	0.505	11.5/32"
Leyland 680 6 Cyl.	5.001	5.3242	5.467	0.305	11.3/8"
Lister 5/1 4 Cyl.	4.500	4.750	4.800	3/8	10"
Rustun YDA	4.375	4.560	4.600	3/8	10.1/2"
Peugeot Car	94 mm	3.830	3.860	5 mm	6.1/2"
RET-4 4 Cyl.	90 mm	4.014	4.255	0.300	-
Meadows 4 Cyl.	120 mm	5.301	5.750	0.485	-
Mack	4.3/8	4.752	4.937	0.250	11.1/8"