

Double Knife Cutting Guillotine Machine

- Model 3200mm
- Model 3600mm

Specifications:

MODEL	3200	3600
Useful cutting length (double knife)	3200 mm	3600 mm
Useful cutting length (single knife)	3200 mm	3600 mm
Cutting thickness	90 mm	90 mm
Presser width (double knife)	550 mm	550 mm
Presser width (single knife)	550 mm	550 mm
Min. Width to be cut (double knife)	30 mm	30 mm
Min. Width to be cut (single knife)	20 mm	20 mm
Max.Width to be cut (double knife)	530 mm	530 mm
Max.Width to be cut (single knife)	550 mm	550 mm
Total power installed	18.67(14.25) KW(HP)	18.67(14.25) KW(HP)
Total machine's width	4660 mm	5100 mm
Total machine's length (include oil tank)	3150 mm	3150 mm
Total machine's height	2100 mm	2100 mm
Total machine's length	1900 mm	1900 mm
Machine's weight	8500 Kg.	9500 Kg.

All specifications, dimensions & design characteristic are subject to change without prior notice.

Products Veneer Cutting Machine Model W3600 (Single-Crank Pulling Type)

Specifications:

Model	W3600
Cutting Thickness	75 m/m
Cutting width	3600 m/n
Cutting Length	600 m/n
Front table length	450 m/n
Table Height	850 m/n
Total Machine Length	1600 m/n
Machine Width	4400 m/n
Machine Height	1600 m/n
Electrical Supply	Optional
Machine's weight	4200
Blade Motor	5
Clamp Motor	3
Veneer feeding motor	1

All specifications, dimensions & design characteristic are subject to change without prior notice.

Hydraulic Veneer Pack Guillotine Model TO-3100 (Casati-Italian Make)

Options For Veneer Guillotines Shears:

- Cutting Edge Light
- Electric Rear Feed

Specifications :

MODEL	TO 3100
Cutting Length	3100 mm
Cutting Height	45 mm
Max. rear feed width	520 mm
Min. rear feed width	25 mm
Hydraulic Unit Motor	3 kW
Rear feed reducer motor	0.25 kW
Weight	2300 Kgs.

All specifications, dimensions & design characteristic are subject to change without prior notice.

Hydraulic Veneer Pack Guillotines (Casati-Italian Make)

- **Model TSO 2650**
- **Model TSO 3100**

Specifications :

Model	TSO 2650	TSO 3100
Useful cutting length (double knife)	3200 mm	3600 mm
Useful cutting length (single knife)	3200 mm	3600 mm
Cutting thickness	90 mm	90 mm
Presser width (double knife)	550 mm	550 mm
Presser width (single knife)	550 mm	550 mm
Min. Width to be cut (double knife)	30 mm	30 mm
Min. Width to be cut (single knife)	20 mm	20 mm
Max.Width to be cut (double knife)	530 mm	530 mm
Max.Width to be cut (single knife)	550 mm	550 mm
Total power installed	18.67(14.25) KW(HP)	18.67(14.25) KW(HP)
Total machine's width	4660 mm	5100 mm
Total machine's length (include oil tank)	3150 mm	3150 mm
Total machine's height	2100 mm	2100 mm
Total machine's length	1900 mm	1900 mm
Machine's weight	8500 Kg.	9500 Kg.

All specifications, dimensions & design characteristic are subject to change without prior notice.

Hydraulic Veneer Pack Guillotines Model TSO 3600 (Casati – Italian Make)

Specifications :

MODEL	TSO 3600
Cutting Length	3600 mm
Cutting Height	60 mm
Max. rear feed width	700 mm
Min. rear feed width	25 mm
Hydraulic Unit Motor	5.5 kW
Rear feed reducer motor	0.25 kW
Weight	3900 Kgs.

All specifications, dimensions & design characteristic are subject to change without prior notice.

Veneer Cutting Machine (Single-Crank Pulling Type)

- Model 2700
- Model 3100

Specifications :

Model	2700	3100
Cutting Thickness	2700	3100
Cutting width	75 m/m	75 m/m
Cutting Length	2700 m/n	3100 m/n
Front table length	600 m/n	600 m/n
Table Height	450 m/n	450 m/n
Total Machine Length	850 m/n	850 m/n
Machine Width	1600 m/n	1600 m/n
Machine Height	3600 m/n	4000 m/n
Electrical Supply	1600 m/n	1600 m/n
Machine's weight	Optional	Optional
Blade Motor	3400	3900
Clamp Motor	5	5
Veneer feeding motor	3	3

All specifications, dimensions & design characteristic are subject to change without prior notice.