

## Pneumatic Sealing Machine

(Pneumatic Operated)



Horizontal Model Pneumatic sealing machine

Pillow bag Sealing,  
Slim packing, flat Bag  
type sealing machine



**Pneumatic sealing machine** suitable for pouch sealing machine, top and bottom of packing machine like tea, **confectionery**, wafers, snacks, Nankeen etc of varies material such as PE, LD, and BOPP etc. All the system are operated for **pneumatic cylinder**. This machine is operated with help of air compressor. This machine is auto operating system and manual operating system both can we provide. Very fast production and low maintenance

### **Pneumatic Impulse sealer machine**

- **Vertical Model : AP PHIS**
- **Sealing Width : 3mm to 5 mm**
- **Sealing Length: up to 30" inch**
- **Oper. System: Foot Switch /Button**

### **Pneumatic Impulse sealer machine**

- **Vertical Model : AP PI-230**
- **Sealing Width : 3mm to 5 mm**
- **Sealing Length: up to 24" inch**
- **Oper. System: Foot Switch /Button**
- **Construction : Ms Fabrication with Powder Coated**

### Pneumatic Impulse sealer machine

- **Vertical Model : APPI-280**
- **Sealing Width :** 3mm to 5 mm
- **Sealing Length:** up to 40" inch
- **Oper. System:** Foot Switch /Button
- **Construction:** Fully S.S. 304 / 316
- **Heavy Duty Machine ( High Production )**



**Bulk Bag sealing, LD,  
Alluminium Bag sealing,  
heavy Bag sealing like 25Kg  
to 50kg Bag sealing machine**

## Pneumatic Impulse sealer machine

### Features:

- Double Line Sealing Machine (3 mm gap between the 2 line of seals).
- Foundation Mounted MS Body Impulse Sealing Machine.
- Safety Fuse for power surge / fluctuation
- 2 Timer Controls iV 1 for the Duration of Pressure, 1 for the Heat Increment
- 1.5 metre Pipe Tubing for the air supply
- Fast sealing of any type of pouches / sachets
- Just feed in the packs in the m/c bands, they get quickly sealed & move ahead
- Ideal for large volume of pouch packing
- Easy to use & low maintenance

Model Code No.	Sealing Length	Sealing Width	Watts	Voltage Supply
APPI-210	12"	3mm to 5 mm	500 W	220 V
APPI-220	16"	3mm to 5mm	400 W	220 V
APPI-230	20"	3mm to 5mm	550 W	220 V
APPI-240	24"	3mm to 5mm	700 W	220 V
APPI-250	28"	3mm to 5mm	850 W	220 V
APPI-260	32"	3mm to 5 mm	950 W	220 V
APPI-270	36"	3mm to 5 mm	1100 W	220 V
APPI-280	40"	3mm to 5 mm	1250 W	220 V

## **Pneumatic Impulse Sealer / Direct Heat Sealing machine With Conveyor (Heavy Duty)**

- **Vertical Model : APPI-260**
- **Sealing Width :** 12mm Lining Sealing
- **Sealing Length:** up to 32" inch
- **Oper. System:** Foot Switch /Button
- **Construction:** Fully S.S. 304 / 316
- **Flam Proof wiring with Heavy Duty Pneumatic Cylinder**
- **Flam Proof Foot Switch & electric**
- **Sealing Jaws can be make as your requirement**
- **Online Bulk Bag filling and sealing available**



**Factory: Amarpackaging**

Sainath Wadi, Gulshan Compound, Gala No. 68,  
Tilak Nagar, Sakinaka, Mumbai-400072

**Tel:** +91-022-65195904 / **TelFax** 022-28501721/+91-09821778501

**E-mail:** [atozpack.seal@gmail.com](mailto:atozpack.seal@gmail.com) / [sales@amarpackaging.com](mailto:sales@amarpackaging.com)

[www.amarpackaging.com](http://www.amarpackaging.com) / [www.sealingmachinesindia.com](http://www.sealingmachinesindia.com)